

**To:** Courtnage, Robert[Courtnage.Robert@EPA.GOV]  
**Cc:** Hillary Garner[HILLARY.GARNER@axiall.com]; Pfahles-Hutchens, Andrea[Pfahles-Hutchens.Andrea@epa.gov]  
**From:** Blaine Ayres  
**Sent:** Mon 4/10/2017 1:37:57 PM  
**Subject:** RE: EPA TSCA Import/Uses of Asbestos

Good Morning Mr. Courtnage,

Mrs. Garner and I will have limited availability on Wednesday. We will be available this afternoon, say 2:00 CDT and all afternoon on Tuesday. Would either of those times work?

Regards,

Blaine

---

**Blaine K. Ayres, CIH | HSE Supervisor, Industrial Hygiene**

blaine.ayres@axiall.com | Office: 225-685-2044 | Cell: 225-933-2887

**Axiall, a Westlake company**

**From:** Courtnage, Robert [mailto:Courtnage.Robert@EPA.GOV]  
**Sent:** Friday, April 07, 2017 11:07 AM  
**To:** Blaine Ayres <Blaine.Ayres@axiall.com>  
**Cc:** Brigitte Bartko <Brigitte.Bartko@axiall.com>; Hillary Garner <HILLARY.GARNER@axiall.com>; Pfahles-Hutchens, Andrea <Pfahles-Hutchens.Andrea@epa.gov>  
**Subject:** RE: EPA TSCA Import/Uses of Asbestos

Mr. Ayres-

Thanks for your message. Are you by chance available next Weds. at 11 a.m. If not, what times do work? I am looking to have a couple others here on the call as well so I will need to coordinate with their schedules.

Regards-

-Robert

Robert T. Courtnage

Associate Chief

Fibers and Organics Branch

National Program Chemicals Division

Office of Pollution Prevention and Toxics/OCSP

U.S. Environmental Protection Agency

202.566.1081 (Desk)

202.740.2993 (Mobile)

**From:** Blaine Ayres [<mailto:Blaine.Ayres@axiall.com>]

**Sent:** Friday, April 07, 2017 11:37 AM

**To:** Courtnage, Robert <[Courtnage.Robert@EPA.GOV](mailto:Courtnage.Robert@EPA.GOV)>

**Cc:** Brigitte Bartko <[Brigitte.Bartko@axiall.com](mailto:Brigitte.Bartko@axiall.com)>; Hillary Garner  
<[HILLARY.GARNER@axiall.com](mailto:HILLARY.GARNER@axiall.com)>

**Subject:** EPA TSCA Import/Uses of Asbestos

Good Morning Mr. Courtnage,

I wanted to touch base with you regarding the importation and uses of asbestos at Axiall. Your information and questions were passed on from Brigitte Bartko from our Product Stewardship Group.

We do import and use asbestos on our site for the production of diaphragms in our chlor-alkali facility here in Plaquemine. We would be happy to answer your questions, by we are currently in a Health and Safety Audit that will wrap up today. Hillary Garner, HSE Manager, and/or myself will be available early next week, if we can set up a phone conversation.

Please let me know when would be a good time.

Thank you,

Blaine


---

**Blaine K. Ayres, CIH | HSE Supervisor, Industrial Hygiene**


[blaine.ayres@axiall.com](mailto:blaine.ayres@axiall.com) | Office: 225-685-2044 | Cell: 225-933-2887

**Axiall, a Westlake company**

26100 Hwy 405 South, Plaquemine, Louisiana 70764 | [www.axiall.com](http://www.axiall.com)



The information transmitted, including any attachments, is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited, and all liability arising therefrom is disclaimed. If you received this in error, please contact the sender and delete the material from any computer.



The information transmitted, including any attachments, is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited, and all liability arising therefrom is disclaimed. If you received this in error, please contact the sender and delete the material from any computer.